

Summary of Butterfly Observations for Michigan

Observations made by Ed Rothwell
Summary generated on **April 22, 2025**

3368 total observations made of 120 species from 5 families.
Observations made in 51 counties.

Papilionidae (6 species observed)

- *Battus philenor* (Pipevine swallowtail) (1): Berrien(1)
- *Papilio canadensis* (Canadian tiger swallowtail) (6): Alger(1), Kalkaska(1), Leelanau(1), Luce(1), Newaygo(1), Roscommon(1)
- *Papilio cressphontes* (Giant swallowtail) (33): Allegan(2), Clinton(3), Gratiot(1), Ingham(12), Ionia(1), Isabella(1), Livingston(1), Monroe(1), Newaygo(1), St. Clair(1), Washtenaw(9)
- *Papilio glaucus* (Eastern tiger swallowtail) (59): Allegan(2), Calhoun(1), Clinton(4), Ingham(27), Jackson(1), Kalamazoo(1), Lenawee(2), Livingston(2), Montcalm(2), Newaygo(2), Shiawassee(1), St. Clair(1), Van Buren(1), Washtenaw(12)
- *Papilio polyxenes* (Black swallowtail) (31): Allegan(1), Calhoun(1), Gratiot(2), Ingham(6), Ionia(1), Jackson(4), Leelanau(1), Lenawee(3), Livingston(1), Monroe(1), Montcalm(1), Oakland(1), Saginaw(1), Washtenaw(7)
- *Papilio troilus* (Spicebush swallowtail) (50): Allegan(7), Barry(1), Calhoun(1), Cass(1), Clinton(1), Gratiot(3), Ingham(11), Ionia(1), Jackson(4), Kalamazoo(2), Lenawee(1), Livingston(1), Monroe(1), Montcalm(1), Muskegon(1), Newaygo(3), Saint Joseph(1), Van Buren(2), Washtenaw(7)

Pieridae (10 species observed)

- *Colias eurytheme* (Orange sulphur) (48): Allegan(3), Benzie(1), Berrien(1), Calhoun(2), Chippewa(1), Gladwin(1), Ingham(22), Jackson(3), Kent(1), Lenawee(4), Newaygo(3), Shiawassee(1), Van Buren(1), Washtenaw(4)
- *Colias interior* (Pink-edged sulphur) (7): Alger(1), Chippewa(2), Kalkaska(1), Luce(1), Newaygo(1), Schoolcraft(1)
- *Colias philodice* (Clouded sulphur) (153): Allegan(8), Barry(1), Benzie(2), Berrien(1), Calhoun(2), Clinton(8), Gratiot(4), Hillsdale(2), Huron(1), Ingham(49), Ionia(3), Isabella(2), Jackson(10), Kalamazoo(1), Kalkaska(1), Kent(1), Lenawee(9), Livingston(2), Mecosta(1), Monroe(1), Montcalm(4), Newaygo(10), Saginaw(2), Saint Joseph(1), Shiawassee(5), Tuscola(1), Van Buren(2), Washtenaw(19)

- *Euchloe olympia* (Olympia marble) (3): Allegan(2), Kalkaska(1)
- *Phoebis sennae* (Cloudless sulphur) (2): Lenawee(1), Washtenaw(1)
- *Pieris oleracea* (Mustard white) (13): Ingham(3), Jackson(1), Kalkaska(1), Montcalm(2), Shiawassee(1), Washtenaw(5)
- *Pieris rapae* (Cabbage white) (155): Allegan(6), Bay(1), Berrien(3), Branch(1), Calhoun(4), Clinton(6), Gratiot(5), Hillsdale(1), Huron(1), Ingham(61), Ionia(2), Isabella(2), Jackson(7), Kalamazoo(1), Kent(2), Lenawee(9), Livingston(3), Mecosta(1), Monroe(1), Montcalm(3), Muskegon(1), Saginaw(2), Saint Joseph(2), Shiawassee(10), St. Clair(1), Tuscola(1), Van Buren(2), Washtenaw(16)
- *Pieris virginiensis* (West Virginia white) (3): Kalkaska(2), Leelanau(1)
- *Pontia protodice* (Checkered white) (1): Livingston(1)
- *Pyrisitia lisa* (Little yellow) (2): Jackson(1), Washtenaw(1)

Lycaenidae (25 species observed)

- *Callophrys augustinus* (Brown elfin) (8): Baraga(1), Chippewa(1), Gratiot(1), Kalkaska(3), Marquette(1), Schoolcraft(1)
- *Callophrys henrici* (Henry's elfin) (2): Kalkaska(2)
- *Callophrys irus* (Frosted elfin) (1): Allegan(1)
- *Callophrys niphon* (Eastern pine elfin) (14): Allegan(1), Gratiot(3), Kalkaska(2), Newaygo(7), Roscommon(1)
- *Callophrys polios* (Hoary elfin) (3): Kalkaska(2), Schoolcraft(1)
- *Celastrina ladon* (Spring azure) (10): Allegan(2), Clinton(1), Ingham(2), Jackson(1), Livingston(1), Newaygo(1), Shiawassee(2)
- *Celastrina lucia* (Northern azure) (38): Baraga(2), Barry(1), Benzie(2), Clinton(4), Gratiot(1), Ingham(3), Ionia(1), Jackson(2), Kalkaska(3), Leelanau(2), Livingston(2), Marquette(2), Montcalm(1), Newaygo(5), Schoolcraft(1), Shiawassee(2), Washtenaw(4)
- *Celastrina neglecta* (Summer azure) (41): Allegan(5), Barry(1), Berrien(1), Clinton(2), Ingham(9), Jackson(4), Kalamazoo(1), Lenawee(3), Livingston(1), Monroe(1), Montcalm(2), Shiawassee(1), Van Buren(1), Washtenaw(9)
- *Everes comyntas* (Eastern tailed-blue) (117): Allegan(6), Barry(1), Berrien(1), Calhoun(2), Cass(1), Clinton(6), Gratiot(3), Hillsdale(2), Ingham(47), Ionia(1), Isabella(1), Jackson(7), Kalamazoo(1), Kent(3), Lenawee(3), Livingston(2), Montcalm(1), Newaygo(1), Saint Joseph(1), Van Buren(3), Washtenaw(24)
- *Feniseca tarquinius* (Harvester) (8): Benzie(1), Calhoun(2), Ingham(2), Saint Joseph(1), Van Buren(1), Washtenaw(1)
- *Glaucopsyche lygdamus* (Silvery blue) (8): Leelanau(1), Montcalm(5), Newaygo(2)

- *Lycaena dorcas* (Dorcas copper) (2): Chippewa(1), Jackson(1)
- *Lycaena epizantha* (Bog copper) (1): Kent(1)
- *Lycaena helloides* (Purplish copper) (1): Allegan(1)
- *Lycaena hyllus* (Bronze copper) (14): Allegan(1), Gratiot(4), Hillsdale(1), Ingham(5), Jackson(1), Schoolcraft(1), Washtenaw(1)
- *Lycaena phlaeas* (American copper) (46): Allegan(4), Barry(1), Benzie(2), Calhoun(1), Ingham(12), Ionia(1), Jackson(2), Kalkaska(3), Kent(2), Leelanau(1), Livingston(1), Montcalm(2), Newaygo(7), Van Buren(1), Washtenaw(6)
- *Plebejus idas* (Northern blue) (1): Alger(1)
- *Plebejus melissa samuelis* (Karner blue) (10): Allegan(4), Newaygo(6)
- *Satyrium Calanus* (Banded hairstreak) (30): Allegan(1), Barry(2), Calhoun(1), Clinton(4), Gratiot(1), Ingham(12), Ionia(1), Jackson(2), Lenawee(1), Montcalm(1), Washtenaw(4)
- *Satyrium acadia* (Acadian hairstreak) (4): Ingham(1), Montcalm(1), Newaygo(1), Washtenaw(1)
- *Satyrium caryaevorus* (Hickory hairstreak) (2): Montcalm(1), Washtenaw(1)
- *Satyrium edwardsii* (Edwards' hairstreak) (7): Allegan(4), Newaygo(3)
- *Satyrium liparops* (Striped hairstreak) (2): Luce(1), Ottawa(1)
- *Satyrium titus* (Coral hairstreak) (5): Allegan(1), Gratiot(1), Kalkaska(1), Montcalm(1), Newaygo(1)
- *Strymon melinus* (Gray hairstreak) (11): Allegan(3), Ingham(3), Lenawee(1), Montcalm(1), Newaygo(3)

Nymphalidae (39 species observed)

- *Aglais milberti* (Milbert's tortoiseshell) (4): Ingham(2), Jackson(2)
- *Asterocampa celtis* (Hackberry emperor) (12): Ingham(2), Ionia(3), Lenawee(1), Saginaw(1), Saint Joseph(1), Washtenaw(4)
- *Asterocampa clyton* (Tawny emperor) (10): Isabella(1), Lenawee(3), Washtenaw(6)
- *Boloria bellona* (Meadow fritillary) (1): Calhoun(1)
- *Boloria selene* (Silver-bordered fritillary) (4): Alger(1), Chippewa(2), Schoolcraft(1)
- *Cercyonis pegala* (Common wood-nymph) (64): Allegan(2), Barry(1), Calhoun(2), Clinton(5), Delta(1), Gratiot(1), Ingham(24), Ionia(1), Isabella(1), Jackson(2), Kalkaska(1), Kent(2), Monroe(1), Montcalm(2), Newaygo(7), Schoolcraft(1), Washtenaw(10)

- *Chlosyne harrisii* (Harris' checkerspot) (13): Alger(1), Chippewa(2), Gratiot(7), Montcalm(1), Schoolcraft(1), Washtenaw(1)
- *Chlosyne nycteis* (Silvery checkerspot) (6): Lenawee(2), Washtenaw(4)
- *Coenonympha tullia* (Common ringlet) (65): Arenac(1), Calhoun(1), Clinton(4), Gratiot(5), Ingham(32), Ionia(1), Isabella(1), Jackson(3), Livingston(1), Shiawassee(2), St. Clair(1), Washtenaw(13)
- *Danaus plexippus* (Monarch) (145): Allegan(11), Barry(2), Benzie(1), Berrien(1), Calhoun(2), Chippewa(2), Clinton(8), Gratiot(2), Hillsdale(1), Huron(1), Ingham(47), Ionia(3), Isabella(1), Jackson(10), Kalamazoo(1), Kalkaska(1), Kent(2), Lenawee(8), Livingston(1), Luce(1), Mackinac(1), Monroe(1), Montcalm(2), Muskegon(1), Newaygo(6), Osceola(1), Ottawa(1), Saginaw(1), Schoolcraft(2), Shiawassee(2), St. Clair(1), Van Buren(2), Washtenaw(18)
- *Enodia anthedon* (Northern pearly-eye) (57): Barry(1), Calhoun(2), Cass(1), Chippewa(2), Clinton(5), Delta(1), Gratiot(2), Ingham(10), Ionia(1), Isabella(1), Jackson(3), Kalamazoo(1), Kalkaska(1), Leelanau(1), Lenawee(1), Luce(1), Montcalm(1), Schoolcraft(1), Shiawassee(4), Washtenaw(17)
- *Euphydryas phaeton* (Baltimore checkerspot) (32): Barry(1), Berrien(2), Chippewa(1), Clinton(1), Eaton(1), Gratiot(1), Ingham(4), Jackson(4), Kent(2), Lenawee(1), Schoolcraft(1), Washtenaw(13)
- *Euptoieta claudia* (Variegated fritillary) (6): Allegan(1), Calhoun(1), Ingham(3), Livingston(1)
- *Junonia coenia* (Common buckeye) (63): Allegan(6), Berrien(2), Calhoun(4), Cass(1), Clinton(1), Hillsdale(1), Ingham(24), Ionia(1), Isabella(1), Jackson(4), Kent(2), Lenawee(4), Livingston(1), Montcalm(1), Saint Joseph(1), Shiawassee(1), Van Buren(1), Washtenaw(7)
- *Libytheana carinenta* (American snout) (2): Lenawee(1), Washtenaw(1)
- *Limenitis archippus* (Viceroy) (90): Allegan(3), Barry(1), Benzie(2), Berrien(1), Calhoun(1), Clinton(8), Gratiot(3), Hillsdale(1), Huron(1), Ingham(30), Isabella(1), Jackson(4), Kalkaska(2), Kent(2), Lenawee(2), Montcalm(3), Schoolcraft(1), Shiawassee(1), St. Clair(1), Van Buren(2), Washtenaw(20)
- *Limenitis arthemis arthemis* (White admiral) (6): Alger(1), Chippewa(2), Luce(1), Mackinac(1), Schoolcraft(1)
- *Limenitis arthemis astyanax* (Red-spotted purple) (53): Allegan(3), Benzie(1), Calhoun(2), Cass(1), Clinton(2), Eaton(1), Gratiot(2), Ingham(12), Ionia(2), Jackson(5), Kalamazoo(2), Kalkaska(1), Kent(1), Lenawee(1), Livingston(1), Montcalm(2), Newaygo(3), Shiawassee(1), Van Buren(1), Washtenaw(9)
- *Megisto cymela* (Little wood-satyr) (80): Allegan(2), Barry(1), Benzie(1), Calhoun(1), Chippewa(1), Clinton(1), Gratiot(5), Hillsdale(1), Ingham(19), Isabella(1), Jackson(3), Kalkaska(2), Leelanau(1), Lenawee(2), Montcalm(3), Newaygo(6), Oakland(1), Osceola(1), Schoolcraft(1), Shiawassee(2), Washtenaw(25)
- *Neonympha mitchellii* (Mitchell's satyr) (1): Berrien(1)

- *Nymphalis antiopa* (Mourning cloak) (53): Allegan(1), Barry(1), Benzie(3), Calhoun(2), Clinton(5), Eaton(1), Genesee(1), Gladwin(1), Gratiot(3), Hillsdale(1), Ingham(12), Ionia(2), Kalkaska(1), Leelanau(2), Livingston(1), Monroe(1), Newaygo(1), Saginaw(2), Shiawassee(4), Washtenaw(8)
- *Nymphalis vaualbum* (Compton tortoiseshell) (3): Ingham(2), Kalkaska(1)
- *Oeneis chryxus* (*Chryxus arctic*) (2): Kalkaska(2)
- *Phyciodes batesii* (Tawny crescent) (1): Schoolcraft(1)
- *Phyciodes cocyta* (Northern crescent) (93): Alger(1), Allegan(5), Benzie(1), Calhoun(1), Chippewa(1), Clinton(6), Gratiot(5), Ingham(33), Ionia(2), Jackson(2), Kalkaska(1), Kent(1), Lenawee(2), Luce(1), Monroe(1), Montcalm(4), Newaygo(5), Saginaw(1), Schoolcraft(1), Shiawassee(4), Van Buren(1), Washtenaw(14)
- *Phyciodes tharos* (Pearl crescent) (85): Allegan(4), Barry(1), Berrien(2), Chippewa(1), Clinton(4), Gratiot(1), Hillsdale(1), Ingham(33), Ionia(2), Isabella(1), Jackson(6), Kalamazoo(1), Kalkaska(1), Lenawee(3), Monroe(1), Montcalm(1), Saginaw(1), Shiawassee(2), Van Buren(1), Washtenaw(18)
- *Polygonia comma* (Eastern comma) (110): Allegan(4), Barry(2), Benzie(1), Berrien(1), Calhoun(1), Clinton(9), Eaton(2), Gladwin(1), Gratiot(5), Hillsdale(1), Ingham(32), Isabella(1), Jackson(5), Kalamazoo(2), Kalkaska(1), Kent(1), Lenawee(4), Livingston(4), Newaygo(1), Saginaw(1), Shiawassee(7), St. Clair(1), Washtenaw(23)
- *Polygonia faunus* (Green comma) (2): Kalkaska(1), Marquette(1)
- *Polygonia progne* (Gray comma) (16): Calhoun(1), Clinton(1), Marquette(1), Montcalm(1), Newaygo(2), Oakland(1), Washtenaw(9)
- *Satyrodes appalachia* (Appalachian brown) (52): Barry(2), Berrien(2), Calhoun(1), Clinton(4), Gratiot(1), Ingham(12), Jackson(1), Kent(1), Montcalm(1), Newaygo(2), Shiawassee(3), Van Buren(1), Washtenaw(21)
- *Satyrodes eurydice* (Eyed brown) (22): Barry(1), Chippewa(2), Gratiot(2), Ingham(3), Isabella(2), Kent(1), Lenawee(1), Luce(1), Schoolcraft(2), Washtenaw(7)
- *Speyeria aphrodite* (Aphrodite fritillary) (8): Allegan(4), Kalkaska(1), Montcalm(1), Newaygo(1), Washtenaw(1)
- *Speyeria atlantis* (Atlantis fritillary) (7): Alger(1), Chippewa(2), Luce(1), Newaygo(1), Schoolcraft(2)
- *Speyeria cybele* (Great spangled fritillary) (79): Allegan(4), Barry(1), Benzie(1), Calhoun(2), Clinton(4), Delta(1), Gratiot(4), Ingham(13), Ionia(2), Jackson(11), Kalkaska(1), Kent(1), Lenawee(6), Livingston(1), Montcalm(2), Schoolcraft(1), Washtenaw(24)
- *Speyeria cybele krautwurmi* (Krautwurm's fritillary) (1): Delta(1)
- *Vanessa atalanta* (Red admiral) (79): Allegan(7), Barry(1), Benzie(2), Berrien(1), Calhoun(1), Chippewa(1), Clinton(3), Delta(1), Genesee(1), Hillsdale(2),

Ingham(24), Ionia(1), Jackson(9), Kent(1), Livingston(4), Mackinac(1), Montcalm(2), Newaygo(1), Oakland(1), Saginaw(1), Saint Joseph(2), Shiawassee(3), Washtenaw(9)

- *Vanessa cardui* (Painted lady) (47): Allegan(3), Clinton(3), Gratiot(1), Ingham(20), Isabella(1), Jackson(3), Kent(4), Lenawee(2), Livingston(2), Mackinac(2), Montcalm(1), Shiawassee(1), Van Buren(1), Washtenaw(3)
- *Vanessa viginienis* (American lady) (39): Allegan(1), Benzie(1), Berrien(1), Calhoun(1), Cass(1), Clinton(2), Gratiot(1), Hillsdale(2), Ingham(8), Ionia(2), Jackson(3), Kent(1), Montcalm(1), Newaygo(4), Schoolcraft(1), Shiawassee(1), Washtenaw(8)
- *polygonia interrogationis* (Question mark) (28): Allegan(1), Berrien(2), Clinton(2), Hillsdale(1), Ingham(8), Ionia(1), Jackson(5), Kalkaska(1), Montcalm(1), Shiawassee(1), Washtenaw(5)

Hesperiidae (40 species observed)

- *Achalarus lyciades* (Hoary edge) (2): Calhoun(1), Washtenaw(1)
- *Amblyscirtes hegon* (Pepper and salt skipper) (3): Alger(1), Chippewa(1), Newaygo(1)
- *Amblyscirtes vialis* (Common roadside-skipper) (9): Ingham(1), Kalamazoo(1), Kent(2), Washtenaw(5)
- *Anatrytone logan* (Delaware skipper) (34): Barry(1), Clinton(3), Gratiot(1), Ingham(8), Ionia(2), Jackson(2), Kent(1), Lenawee(1), Montcalm(1), Ottawa(1), Saint Joseph(1), Shiawassee(1), Washtenaw(11)
- *Ancyloxypha numitor* (Least skipper) (84): Allegan(2), Barry(1), Chippewa(1), Clinton(6), Gratiot(5), Hillsdale(1), Ingham(31), Ionia(1), Isabella(1), Jackson(6), Kent(1), Lenawee(2), Monroe(1), Montcalm(1), Muskegon(1), Saginaw(1), Saint Joseph(1), Shiawassee(1), St. Clair(1), Washtenaw(19)
- *Atalopedes campestris* (Sachem) (1): Ingham(1)
- *Atrytonopsis hianna* (Dusted skipper) (3): Newaygo(3)
- *Carterocephalus palaemon* (Arctic skipper) (4): Benzie(1), Clinton(1), Ingham(2)
- *Epargyreus clarus* (Silver-spotted skipper) (173): Allegan(4), Berrien(1), Calhoun(6), Cass(1), Clinton(8), Gratiot(5), Hillsdale(2), Ingham(66), Ionia(3), Isabella(1), Jackson(8), Kalamazoo(2), Kent(4), Lenawee(10), Livingston(2), Monroe(1), Montcalm(2), Oakland(1), Saint Joseph(1), Shiawassee(5), Tuscola(1), Van Buren(2), Washtenaw(37)
- *Erynnis baptisiae* (Wild indigo duskywing) (25): Allegan(2), Clinton(1), Ingham(18), Kent(1), Lenawee(1), Livingston(1), Washtenaw(1)
- *Erynnis brizo* (Sleepy duskywing) (5): Newaygo(3), Washtenaw(2)
- *Erynnis horatius* (Horace's duskywing) (1): Ingham(1)

- *Erynnis icelus* (Dreamy duskywing) (10): Alger(1), Allegan(1), Chippewa(1), Gratiot(2), Kalkaska(3), Newaygo(1), Washtenaw(1)
- *Erynnis juvenalis* (Juvenal's duskywing) (36): Allegan(3), Baraga(1), Clinton(3), Gratiot(2), Ingham(5), Livingston(1), Montcalm(3), Newaygo(9), Shiawassee(1), Washtenaw(8)
- *Erynnis lucilius* (Columbine duskywing) (1): Newaygo(1)
- *Euphyes bimacula* (Two-spotted skipper) (2): Chippewa(1), Schoolcraft(1)
- *Euphyes conspicua* (Black dash) (12): Barry(1), Berrien(3), Kalkaska(1), Washtenaw(7)
- *Euphyes dion* (Dion skipper) (9): Barry(1), Berrien(1), Ingham(2), Montcalm(1), Washtenaw(4)
- *Euphyes dukesi* (Dukes' skipper) (1): Washtenaw(1)
- *Euphyes vestris* (Dun skipper) (42): Alger(1), Allegan(4), Barry(1), Calhoun(1), Chippewa(2), Clinton(1), Ingham(9), Ionia(1), Kalkaska(2), Kent(1), Keweenaw(1), Lenawee(2), Luce(1), Montcalm(1), Newaygo(2), Ottawa(1), Schoolcraft(2), Washtenaw(9)
- *Hesperia leonardus* (Leonard's skipper) (7): Allegan(1), Newaygo(3), Washtenaw(3)
- *Hesperia metea* (Cobweb skipper) (2): Kalkaska(1), Newaygo(1)
- *Hesperia sassacus* (Indian skipper) (15): Allegan(2), Benzie(1), Gratiot(1), Kalkaska(2), Newaygo(9)
- *Hylephila phyleus* (Fiery skipper) (25): Berrien(1), Calhoun(2), Ingham(21), Lenawee(1)
- *Panoquina ocola* (Ocola skipper) (1): Ingham(1)
- *Pholisora catullus* (Common sootywing) (19): Allegan(1), Ingham(14), Jackson(2), Monroe(1), Washtenaw(1)
- *Poanes hobomok* (Hobomok skipper) (33): Benzie(3), Clinton(4), Gratiot(1), Ingham(10), Kalkaska(2), Lenawee(1), Livingston(1), Montcalm(1), Newaygo(2), Osceola(1), Washtenaw(7)
- *Poanes massasoit* (Mulberry wing) (21): Barry(1), Berrien(1), Ingham(7), Jackson(1), Lenawee(1), Montcalm(1), Shiawassee(1), Washtenaw(8)
- *Poanes viator* (Broad-winged skipper) (21): Gratiot(1), Ingham(9), Kent(1), Washtenaw(10)
- *Poanes zabulon* (Zabulon skipper) (33): Allegan(1), Calhoun(2), Hillsdale(2), Ingham(3), Jackson(2), Lenawee(5), Monroe(3), Saint Joseph(1), Washtenaw(14)
- *Polites mystic* (Long dash) (20): Alger(1), Benzie(1), Chippewa(2), Gratiot(2), Ingham(1), Ionia(1), Luce(1), Mackinac(1), Montcalm(2), Newaygo(3), Schoolcraft(2), Washtenaw(3)

- *Polites origenes* (Crossline skipper) (9): Allegan(1), Ingham(1), Ionia(1), Livingston(1), Washtenaw(5)
- *Polites peckius* (Peck's skipper) (100): Allegan(1), Berrien(2), Calhoun(1), Cass(1), Clinton(5), Gratiot(2), Hillsdale(1), Huron(1), Ingham(48), Ionia(1), Isabella(1), Jackson(5), Kalkaska(1), Kent(1), Lenawee(7), Livingston(1), Newaygo(3), Schoolcraft(1), Shiawassee(3), Washtenaw(14)
- *Polites themistocles* (Tawny-edged skipper) (46): Alger(1), Benzie(1), Cass(1), Chippewa(1), Clinton(1), Ingham(24), Ionia(1), Kent(1), Lenawee(2), Mackinac(1), Montcalm(2), Newaygo(2), Schoolcraft(1), Washtenaw(7)
- *Pompeius verna* (Little glassywing) (18): Barry(1), Clinton(1), Ingham(5), Ionia(2), Jackson(1), Montcalm(1), Shiawassee(1), Washtenaw(6)
- *Pyrgus communis* (Common checkered-skipper) (54): Allegan(4), Calhoun(1), Clinton(1), Hillsdale(1), Ingham(37), Ionia(1), Jackson(1), Kent(1), Lenawee(2), Shiawassee(3), Van Buren(1), Washtenaw(1)
- *Thorybes bathyllus* (Southern cloudywing) (8): Allegan(1), Newaygo(3), Washtenaw(4)
- *Thorybes pylades* (Northern cloudywing) (9): Allegan(2), Newaygo(6), Washtenaw(1)
- *Thymelicus lineola* (European skipper) (52): Alger(1), Chippewa(2), Clinton(2), Eaton(1), Gratiot(8), Ingham(18), Jackson(2), Luce(1), Mackinac(1), Montcalm(1), Muskegon(1), Newaygo(6), Schoolcraft(2), Shiawassee(1), Washtenaw(5)
- *Wallengrenia egeremet* (Northern broken-dash) (24): Allegan(3), Calhoun(1), Ingham(10), Ionia(2), Jackson(1), Kalkaska(2), Kent(1), Montcalm(1), Newaygo(1), Washtenaw(2)